


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Engelescer Brun = Gt 1845 milonopora Pag i let \*844 ut frequent dile; four til, 1866.1. Million of with small my explosing MISSOURI 6 BOTANICAL copyright reserved


GARDEN

cm


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved
















































22 20 1867 Dorto Segula Mas Haven, Eston i A. Lite a Cal 15 - 3 Call land diam of Inof felly sipe hor well-formed Last Can the marriagery mirropons smooth = 0.022 - 0.024 mm Cony



copyright reserved

cm

BOTANICAL


GARDEN

Lig 20 1867 Foctes Engelmanni. Bett, liken, Pa, leg. J. Wolle T.C. Porter mis.

(Sperior returns 20. Car 32-36 = 0.53 - 0.60 min 5tot 18-20 P.1116 D'ann of macrospores very large i m. oung strongly retiralités municip Tomas weak butter porganipale missiper længe. verg slightly tuberrulated = 0.030-0.034
























Foites lagelmanna and are found near Williagton Delaware only (with the exception of var rupesting) in shellow found on very off - or take along sailroads in what anythe the Magarlin Eglansa) swamps much always in gravel or rouse. sand pover by a legen of 5.25 or sandy may) inches of clayer mud. on top of which Take under within, off only / to 2 inches, 35 of the leaves being here swamps are rolled Magnolia or Crawberry swamps contain Sphagamen and of the Matt of Men vineate a Solid go neglerte wer M Cauby i Cit. Nov. 27 1861








Boetes logstenanni In a now dry Ditch near Wilmington Del. Leaves evert . The same plant in the same lovelity , then covered by inches of water was collect & less year in the beginning of october with teaves spreading on the water in every direction Wanby 26 16 1866.









Soctes Engelmanni found by Obst leidy is a ditch of very clear water on the Rant Avant & Atlantic City 4 mily from Camba W.J. His immersed and its leaver spread flat in the bottom of the water. In this way it coveres the bottom like a caspel of beautiful green rolour. Whenthe water is shallow, the leaves are mon orless erect and anixed up i regulate. A grows i light mud. 8. Dune - Cit. Oct 13 1866 flooded by revent min ??








Bother Engelmani. var supestris non a rocky knoll on a hillside v near Wilmington, Del, where the ground i quite dry, except in spring, when a litte witer i ooging ont on the Tide of the Knoll among the rocks as to form bandy a unist sport. Us the Leason advances it gets quite Ty , and is by the test of from ovingrown with gross and some poor Carex Wildeaovi A Commons. Their is the only sastacere where and soity her been found in the hilly sountry; Cagel manni aad valik grond othewise oale in, the white - oley - flats, of Nich Magarley glacera es the characteristic plant. Man Canaling







Just reverse your Chan & Desorter just reverse your Chan & Desorter of that from the Delaware is restainly distribut from your Missouris plant, and Augel rollets a Third one in Florida. You would alter the name mirros pora and if you be not know a better one I propose I. loyel ween Braun. I from I be out the come is cit.


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


IM" ROATE MISSOURI BOTANICAL copyright reserved GARDEN

\*OM \*SHAOK \*KS Franklin Avenue, bet. 18th & 19th Streets,

Foeter Engelman' on the Allanter City Mailous Camban, New Jersey. deaves short start spread quite flat on the meed, very symmetrically and covering all the bottom of the pool where the water was deep. in the Thellow places some leaves would The bottom was the softest Hind of : Cit. Nov 8 1866.







Socter lagelucari Abraca i Hora 1846 de 12 (char emende Jan 1859) emersa hijomete magno planents formi depremo plus mines orbitalani, folici, elongatis gravilibres flexitibres, lacto viscotto Zen flavo viretibus; veginis alongeter ( Nametre Congivistes) ; posangiis overtis acajosibe sporis quemeros sistans, unian bee, elegante Ohige of 1 that - Sheet, leave 8-12 ring long, sheather 15-12 while lay, Thoms Townerly 0.2 lin d'aut stite D. Courter har Jones som 0.7 la Same. The feer for Delaware har one sifem blu it I the Mussoneri Man L.



visit after the long one of you at Cantrize Two from ago - a le here I come to meet for as for as Murging and gen referse ! At is too but a am closed porrey that I did not come with formy yesterly - but now he stays have till Monday maker un work at the Bollong Replaced dennelf stay tell their - a there are so many things where a feine miantes confueration would be Cotten then Any letter, \_ that I vill Joney again their accoming a have a talk with him - before I rounding

